

JP-25774-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Name and address of the applicant

Name and address of the manufacturer

Name and address of the factory

Note: When more than one factory, please report on page 2

Ratings and principal characteristics

Trademark (if any)

Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

Additional information (if necessary may also be reported on page 2)

A sample of the product was tested and found to be in conformity with

As shown in the Test Report Ref. No. which forms part of this Certificate

DC-DC Converter

TDK-LAMBDA CORP NAGAOKA TECHNICAL CENTER

2704-1 SETTAYA-MACHI NAGAOKA-SHI NIIGATA-KEN 940-1195 JAPAN

TDK-LAMBDA CORP

NAGAOKA TECHNICAL CENTER

2704-1 SETTAYA-MACHI NAGAOKA-SHI NIIGATA-KEN 940-1195 JAPAN

TDK-LAMBDA CORP

2704-1 SETTAYA-MACHI NAGAOKA-SHI NIIGATA-KEN 940-1195 **JAPAN**

☐ Additional Information on page 2

See Page 2



CCG1R5-xx-yySa#, CCG3-xx-yySa#, CCG1R5-xx-zzDa#, CCG3-xx-zzDa# (where xx: 12, 24, or 48, where yy: 03, 05, 12, or 15, where zz: 12 or 15, where a: F or R, where #: 1 or 2 digit, A to Z or blank)

Additionally evaluated to EN IEC 62368-1:2020/ A11:2020. National Differences specified in the CB Test Report.

☐ Additional Information on page 2

IEC 62368-1:2018

E132035-A6024-CB-1 issued on 2021-12-23

This CB Test Certificate is issued by the National Certification Body



□ UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
□ UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
□ UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
□ UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2021-12-24

Signature:

Masamichi Takagi



JP-25774-UL

Ratings: Input: 4.5 - 18V dc, 0.414 A (for Model CCG1R5-12-03S) 4.5 - 18V dc, 0.433 A (for Model CCG1R5-12-05S) 4.5 - 18V dc, 0.469 A (for Model CCG1R5-12-12S) 4.5 - 18V dc, 0.445 A (for Model CCG1R5-12-15S) 9 - 36V dc, 0.207 A (for Model CCG1R5-24-03S) 9 - 36V dc, 0.217 A (for Model CCG1R5-24-05S) 9 - 36V dc, 0.214 A (for Model CCG1R5-24-12S) 9 - 36V dc, 0.209 A (for Model CCG1R5-24-15S) 18 - 76V dc, 0.104 A (for Model CCG1R5-48-03S) 18 - 76V dc, 0.110 A (for Model CCG1R5-48-05S and CCG1R5-48-15S) 18 - 76V dc, 0.112 A (for Model CCG1R5-48-12S) 4.5 - 18V dc, 0.793 A (for Model CCG3-12-03S) 4.5 - 18V dc, 0.866 A (for Model CCG3-12-05S and CCG3-12-12S) 4.5 - 18V dc, 0.855 A (for Model CCG3-12-15S) 9 - 36V dc, 0.397 A (for Model CCG3-24-03S) 9 - 36V dc, 0.422 A (for Model CCG3-24-05S and CCG3-24-12S) 9 - 36V dc, 0.412 A (for Model CCG3-24-15S) 18 - 76V dc, 0.199 A (for Model CCG3-48-03S) 18 - 76V dc, 0.214 A (for Model CCG3-48-05S) 18 - 76V dc, 0.209 A (for Model CCG3-48-12S) 18 - 76V dc, 0.211 A (for Model CCG3-48-15S) 4.5 - 18V dc, 0.463 A (for Model CCG1R5-12-12D) 4.5 - 18V dc, 0.445 A (for Model CCG1R5-12-15D) 9 - 36V dc, 0.220 A (for Model CCG1R5-24-12D) 9 - 36V dc, 0.214 A (for Model CCG1R5-24-15D) 18 - 76V dc, 0.115 A (for Model CCG1R5-48-12D and CCG1R5-48-15D) 4.5 - 18V dc, 0.889 A (for Model CCG3-12-12D) 4.5 - 18V dc, 0.855 A (for Model CCG3-12-15D) 9 - 36V dc, 0.439 A (for Model CCG3-24-12D and CCG3-24-15D) 18 - 76V dc, 0.217 A (for Model CCG3-48-12D) 18 - 76V dc, 0.209 A (for Model CCG3-48-15D)

Additional information (if necessary)

Output: See Test Report.



Date: 2021-12-24

□ UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA □ UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK ☒ UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN ☐ UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbname

Signature:

Masamichi Takagi

M. Takayi